SHERA PUBLIC COMPANY LIMITED
99 MOO 9, PETCHKASEM ROAD, TAMBOL RAIKING, AMPHUR SAMPRAN, NAKORNPRATHOM, 73210 THAILAND

The following sample(s) was/were submitted and identified by the client as:

Sample Name	:	SHERA FIBER CEMENT DECKING-Maestro Deck (Premium Deck) Antislip
Sample Description	:	Paint Film 15 g

The following sample(s) was/were identified by SGS as:

Sample Number	:	ACC26-0002052-0001
Sample Condition	:	Sample is contained in plastic bag.
Quantity Submitted	:	1 bag
Sample Received Date	:	May 08 2026
Testing Period	:	May 08 - May 15 2026
Test Requested	:	In accordance with the EU RoHS Directive 2011/65/EU (Annex II) [amended by Directive (EU) 2015/863]. Selected test (s) as requested by client.
Test Method(s)	:	Please refer to next page(s)
Test Result(s)	:	Please refer to next page(s)
Conclusion	:	Based on the performed tests on submitted sample(s),the results of Cadmium (Cd),Lead (Pb),Mercury (Hg),Hexavalent chromium (Cr-VI),Polybrominated biphenyls (PBBs),Polybrominated diphenyl ethers (PBDEs) and Phthalates such as Bis(2-ethylhexyl) phthalate (DEHP),Butyl benzyl phthalate (BBP),Dibutyl phthalate (DBP) and Diisobutyl phthalate (DIBP) comply with the limits as set by RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU where the decision rules based on simple acceptance which the probability of false accept may be as high as 50% in case the results is exactly on the tolerance limit.

Signed for and on behalf of
SGS (Thailand) Limited

Anchalee Wunnaphuek
Acting Chemical Laboratory Manager

FOLDER NUMBER : ACC26-0002052 **1295599**

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/terms-and-conditions.aspx and , for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/terms-and-conditions/terms-e-document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company.

Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Result(s) :

Test Item(s)	Unit	Method	Result	MDL	Limit
Lead(Pb)	mg/kg	Inhouse method: SOP no. LBCC-19015 based on IEC-62321-5 edition 1.0:2013-6, analysis was performed by ICP-OES.	ND	2	1000
Cadmium(Cd)	mg/kg	Inhouse method: SOP no. LBCC-19015 based on IEC-62321-5 edition 1.0:2013-6, analysis was performed by ICP-OES.	ND	2	100
Mercury(Hg)	mg/kg	Inhouse method: SOP no. LBCC-19015 based on IEC-62321-4 edition 1.1:2017-07, analysis was performed by ICP-OES.	ND	2	1000
Hexavalent Chromium(CrVI)	mg/kg	Inhouse method LBCC-19018 based on IEC-62321-7-2 edition 1.0:2017-03, analysis was performed by Colorimetric Method.and/or Inhouse method LBCC-19015 based on IEC-62321-5 edition 1.0:2013-6, analysis was performed by ICP-OES.	ND	8	1000
Polybrominated biphenyls (PBB)	mg/kg	Inhouse method: SOP no. LBCC-19021 based on IEC-62321-6 edition 1.0:2015-06, analysis was performed by GC/MS.	ND	-	1000
Monobrominated biphenyl (MonoBB)	mg/kg	Inhouse method: SOP no. LBCC-19021 based on IEC-62321-6 edition 1.0:2015-06, analysis was performed by GC/MS.	ND	5	-
Dibrominated biphenyl (DiBB)	mg/kg	Inhouse method: SOP no. LBCC-19021 based on IEC-62321-6 edition 1.0:2015-06, analysis was performed by GC/MS.	ND	5	-
Tribrominated biphenyl (TriBB)	mg/kg	Inhouse method: SOP no. LBCC-19021 based on IEC-62321-6 edition 1.0:2015-06, analysis was performed by GC/MS.	ND	5	-
Tetrabrominated biphenyl (TetraBB)	mg/kg	Inhouse method: SOP no. LBCC-19021 based on IEC-62321-6 edition 1.0:2015-06, analysis was performed by GC/MS.	ND	5	-

FOLDER NUMBER : ACC26-0002052

1295599

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/terms-and-conditions.aspx and , for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/terms-and-conditions/terms-e-document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company.

Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Item(s)	Unit	Method	Result	MDL	Limit
Pentabrominated biphenyl (PentaBB)	mg/kg	Inhouse method: SOP no. LBCC-19021 based on IEC-62321-6 edition 1.0:2015-06, analysis was performed by GC/MS.	ND	5	-
Hexabrominated biphenyl (HexaBB)	mg/kg	Inhouse method: SOP no. LBCC-19021 based on IEC-62321-6 edition 1.0:2015-06, analysis was performed by GC/MS.	ND	5	-
Heptabrominated biphenyl (HeptaBB)	mg/kg	Inhouse method: SOP no. LBCC-19021 based on IEC-62321-6 edition 1.0:2015-06, analysis was performed by GC/MS.	ND	5	-
Octabrominated biphenyl (OctaBB)	mg/kg	Inhouse method: SOP no. LBCC-19021 based on IEC-62321-6 edition 1.0:2015-06, analysis was performed by GC/MS.	ND	5	-
Nonabrominated biphenyl (NonaBB)	mg/kg	Inhouse method: SOP no. LBCC-19021 based on IEC-62321-6 edition 1.0:2015-06, analysis was performed by GC/MS.	ND	5	-
Decabrominated biphenyl (DecaBB)	mg/kg	Inhouse method: SOP no. LBCC-19021 based on IEC-62321-6 edition 1.0:2015-06, analysis was performed by GC/MS.	ND	5	-
Polybrominated diphenyl ether (PBDE)	mg/kg	Inhouse method: SOP no. LBCC-19021 based on IEC-62321-6 edition 1.0:2015-06, analysis was performed by GC/MS.	ND	-	1000
Monobrominated diphenyl ether (MonoBDE)	mg/kg	Inhouse method: SOP no. LBCC-19021 based on IEC-62321-6 edition 1.0:2015-06, analysis was performed by GC/MS.	ND	5	-
Dibrominated diphenyl ether (DiBDE)	mg/kg	Inhouse method: SOP no. LBCC-19021 based on IEC-62321-6 edition 1.0:2015-06, analysis was performed by GC/MS.	ND	5	-
Tribrominated diphenyl ether (TriBDE)	mg/kg	Inhouse method: SOP no. LBCC-19021 based on IEC-62321-6 edition 1.0:2015-06, analysis was performed by GC/MS.	ND	5	-

FOLDER NUMBER : ACC26-0002052

1295599

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/terms-and-conditions.aspx and , for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/terms-and-conditions/terms-e-document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company.

Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Item(s)	Unit	Method	Result	MDL	Limit
Tetrabrominated diphenyl ether (TetraBDE)	mg/kg	Inhouse method: SOP no. LBCC-19021 based on IEC-62321-6 edition 1.0:2015-06, analysis was performed by GC/MS.	ND	5	-
Pentabrominated diphenyl ether (PentaBDE)	mg/kg	Inhouse method: SOP no. LBCC-19021 based on IEC-62321-6 edition 1.0:2015-06, analysis was performed by GC/MS.	ND	5	-
Hexabrominated diphenyl ether (HexaBDE)	mg/kg	Inhouse method: SOP no. LBCC-19021 based on IEC-62321-6 edition 1.0:2015-06, analysis was performed by GC/MS.	ND	5	-
Heptabrominated diphenyl ether (HeptaBDE)	mg/kg	Inhouse method: SOP no. LBCC-19021 based on IEC-62321-6 edition 1.0:2015-06, analysis was performed by GC/MS.	ND	5	-
Octabrominated diphenyl ether (OctaBDE)	mg/kg	Inhouse method: SOP no. LBCC-19021 based on IEC-62321-6 edition 1.0:2015-06, analysis was performed by GC/MS.	ND	5	-
Nonabrominated diphenyl ether (NonaBDE)	mg/kg	Inhouse method: SOP no. LBCC-19021 based on IEC-62321-6 edition 1.0:2015-06, analysis was performed by GC/MS.	ND	5	-
Decabrominated diphenyl ether (DecaBDE)	mg/kg	Inhouse method: SOP no. LBCC-19021 based on IEC-62321-6 edition 1.0:2015-06, analysis was performed by GC/MS.	ND	5	-
Dibutyl Phthalate(DBP)	mg/kg	Inhouse method: SOP no. LBCC-19022 based on IEC-62321-8 edition 1.0:2017-03, analysis was performed by GC-MS.	ND	50	1000
Benzyl Butyl Phthalate(BBP)	mg/kg	Inhouse method: SOP no. LBCC-19022 based on IEC-62321-8 edition 1.0:2017-03, analysis was performed by GC-MS.	ND	50	1000
Bis-(2-ethylhexyl) Phthalate(DEHP)	mg/kg	Inhouse method: SOP no. LBCC-19022 based on IEC-62321-8 edition 1.0:2017-03, analysis was performed by GC-MS.	ND	50	1000

FOLDER NUMBER : ACC26-0002052

1295599

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/terms-and-conditions.aspx and , for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/terms-and-conditions/terms-e-document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company.

Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Test Item(s)	Unit	Method	Result	MDL	Limit
Diisobutyl Phthalate(DIBP)	mg/kg	Inhouse method: SOP no. LBCC-19022 based on IEC-62321-8 edition 1.0:2017-03, analysis was performed by GC-MS.	ND	50	1000

Test part description

Result : brown paint

Note :

(a) mg/kg = ppm ; 0.1wt% = 1000 ppm

(b) ND = Not Detected (Less than MDL)

(c) MDL = Method Detection Limit

(d) The result of Hexavalent Chromium (Cr(VI)) is "ND" as the result of Chromium (Cr) is "ND", and confirmation test of Hexavalent Chromium (Cr(VI)) is not required.

(e) If the Chromium (Cr) content is greater than the MDL of Hexavalent Chromium (Cr(VI)), confirmation test of Hexavalent Chromium (Cr(VI)) is required.

(f) "-" = Not regulated

(g) Test done on client submitted sample

Remarks :

(1) The maximum permissible limit is quoted from RoHS Directive (EU) 2015/863.

(2) IEC 62321 series is equivalent to EN 62321 series.

(3) The restriction of DEHP, BBP, DBP and DIBP shall apply to medical devices, including in vitro medical devices, and monitoring and control instruments, including industrial monitoring and control instruments, from 22 July 2021

FOLDER NUMBER : ACC26-0002052

1295599

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/terms-and-conditions.aspx and , for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/terms-and-conditions/terms-e-document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company.

Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Flow chart of Heavy metal Testing

(Test method : IEC 62321)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/terms-and-conditions.aspx and , for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/terms-and-conditions/terms-e-document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company.

Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Flow chart of Hexavalent Chromium Testing

(Test method : IEC 62321)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/terms-and-conditions.aspx and , for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/terms-and-conditions/terms-e-document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company.

Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Flow chart of PBBs, PBDEs Testing

(Test method : IEC 62321)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/terms-and-conditions.aspx and , for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/terms-and-conditions/terms-e-document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company.

Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Flow chart of Phthalates Analysis

(Test method : IEC 62321-8)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/terms-and-conditions.aspx and , for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/terms-and-conditions/terms-e-document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company.

Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Sample Photo:



ACC26-0002052-0001

End of Report

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at http://www.sgs.com/en/terms-and-conditions.aspx and , for electronic format documents, subject to Terms and Conditions for Electronic Documents at http://www.sgs.com/en/terms-and-conditions/terms-e-document.aspx.
Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company.

Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.